

BLINDMATE CONNECTOR SYSTEM




Fig. 2



Fig 3B





Fig 3A




NOTES:


1. APPLY ITEM'S ADHESIVE TAPE TO BOTTOM SURFACE. AS SHOWN, ADHESIVE TO HAVE REMOVABLE PROTECTIVE LINER. LINER TO EXTEND PAST THE EDGE OF THE ADHESIVE BY 0.12 IN MIN. ALONG AT LEAST ONE FULL EDGE TO ALLOW FOR EASY RELEASE OF THE LINER.


REVISIONS		
REV.	DESCRIPTION	DATE
1	ALPHA	
2		
3		
4		
5		
6		
7		
8		
9		
10		

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PERI. IT IS TO BE USED FOR THE PURPOSES SPECIFIED IN THE DRAWING. NO PART OF THIS DRAWING IS TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT PERMISSION IN WRITING FROM PERI.



BLACKWOLF SUA750








Fig. 6

Sheet 6 of 7
 Inventor: Perry
 Filed: HEREWITH, September 4, 2003
 Title: SYSTEM FOR REPLACING A BATTERY PACK
 Mintz, Levin, Cohn, Ferris, Glovsky & Popeo
 Telephone: (617) 542-6000